



PERGOLA

One of our exceptional products, designed as an architectural and structural element, is our PERGOLA.

It is built for outdoor use and adds a sophisticated and unique touch to any project while providing a pleasant atmosphere. The classic Pergola combines durability, elegance, and versatility, making it the best choice for creating shaded outdoor spaces such as gardens, walkways, and terraces in homes or buildings, thanks to its versatile options and combinations.

Specifications


- Can be freestanding or independent
- Can be attached to a building or another structure
- Different types of roofing: slatted, glass, ACM, polycarbonate.
- Roof slope: 2.5%
- Water drainage: Free fall or with gutter
- Any beam attached to the wall must be anchored to a rigid structure
- Every structure requires civil works, depending on the selected design configuration

Uni-K
FENESTRATION


Measures

- A. Maximum column height: 9.84 FT
- B/C. Maximum load-bearing beam width: 19.68 FT
- D. Maximum rafter length: 12.87 FT
- E. Maximum overhang distance for load-bearing beams or rafters: 1.31 FT
- F. Spacing between rafters: 1.97 FT - 2.96 FT
- G. Maximum overhang length for load-bearing beams (cantilevered Pergola): 4.1 FT


Type of roofing




ACM + Gutter




Polycarbonate



Glass



2"x3" Slatted Tube



Without roofing


TYPES




Self-supporting



With 1 wall



Type 1: Self-supporting




Type 2: With 1 wall




With 2 wall




With 3 wall




Type 3: With 2 wall




Type 4: With 3 wall



With 4 wall




Type 5: With 4 wall




Type 6: Overhang

COLORS

DC13 Matte White




DC02 Silver




DC04 Grey



DC05 Dark Grey



DC12 Black




DC11 Bronze




MA04




MA07




MA08



MA09



MA10



Uni-K
FENESTRATION

+305 420 6910

info@unik-windows.com

  @unik.windows

Download this brochure
with this QR



or visit our website
www.unik-windows.com