



# SINGLE HUNG

ARCHITECTURAL SYSTEMS FOR  
THE MODERN AESTHETIC.

TECHNICAL CATALOG



**HURRICANE AND  
IMPACT RESISTANT  
WINDOWS & DOORS**

LMI - FL# 48151.1  
SMI - FL# 48151.2

CERTIFICATIONS



FBC  
CERTIFICATE

<https://unik-windows.com/fbc-single-hung-window>

# SINGLE HUNG

## OVERVIEW & SPECIFICATIONS

---

Redefining vertical Single Hung window features an advanced balance system for effortless upward movement. It seamlessly integrates fresh air and natural light while providing discreet elegance and complete hurricane protection.

## SPECIFICATIONS

---

- Hung window
- LMI Design
- SMI Design
- Optional removable exterior fixed screen



## DIMENSIONS AND PERFORMANCE

---

- LMI Design - Max Panel Dimensions: 54" Width x 76" Height at 85 PSF
- SMI Design - Max Panel Dimensions: 44" Width x 76" Height at 120 PSF
- Air infiltration: 6.24 PSF
- Water infiltration: 16.5 PSF

## GLASS OPTIONS


---

- Laminated

Our glass is certified by SGCC, ensuring that our processes always deliver the highest quality.

# SINGLE HUNG

## CONFIGURATION & SECTION DETAILS



# FINISHES & COLORS

DC13 / DC14 Bone White



DC02 Silver



DC04 Grey




DC05 Dark Grey



DC11 / DC15 Bronze




DC12 / DC16 Black



MA04




MA07



MA08



MA09



MA10



\*Custom colors available upon request.



**Uni-K**<sup>®</sup>  
FENESTRATION

+305 420 6910

quotes@unik-windows.com

@unik.windows

VISIT OUR SHOWROOM

1 Curtis Pkwy. UNIT 11,  
Miami, FL 33166  
United States



DOWNLOAD THIS  
BROCHURE WITH THIS QR

OR VISIT OUR WEBSITE  
WWW.UNIK-WINDOWS.COM