



DREAM CASEMENT / AWNING

A masterpiece of design, uses an operator for its double function: awning and casement out. Its sleek profile offers a seamless operation that maximizes ventilation and view, distinguishing every project with innovation and style.

Specifications

- Awning / Casement out
- Multi point lock system
- Screen incorporated optional



HURRICANE AND
IMPACT RESISTANT
WINDOWS & DOORS

Uni-K
FENESTRATION



DREAM CASEMENT / AWNING

LMI Design

- Design load: 85 PSF
- Max Panel Dimensions :
40" Width x 76" Height

SMI Design

- Design load 120 PSF
- Max Panel Dimensions:
40" Width x 76" Height

Non-Impact

- Design load 100.25 PSF
- Max Panel Dimensions:
40" Width x 76" Height

- Air infiltration: 6.27 PSF
- Water infiltration: 18 PSF




Glass Options:


- Laminated
- Insulated
- Insulated laminated

Our glass is certified by SGCC and IGCC, ensuring that our processes always deliver the highest quality


Projected window




Casement window



Horizontal Section



Vertical Section



COLORS


DC13 Matte White



DC04 Grey




DC12 Black




MA04




MA08



DC02 Silver




DC05 Dark Grey




DC11 Bronze




MA07



MA09



MA10



Uni-K
FENESTRATION

+305 420 6910

info@unik-windows.com

  @unik.windows

Download this brochure
with this QR



or visit our website
www.unik-windows.com