



# KA TILT AND TURN

Our beautiful KA line is designed to give your project a minimalist look that highlights the exterior view rather than the system frames. Even with such minimal frames, they meet all hurricane safety standards.

## Specifications

- Inward opening / tilt turn window and balcony door
- Thermally broken
- Multi point lock system
- Internal hidden frame option
- Hidden Sash
- Hidden Hinges
- Bicolor Option

## CERTIFICATIONS

<https://n9.cl/xgvl23>



FBC  
CERTIFICATE

<https://n9.cl/7ruil1>



NFRC  
CERTIFICATE



HURRICANE AND  
IMPACT RESISTANT  
WINDOWS & DOORS

LMI FL# - FL48029.1  
SMI FL# - FL48029.2

**Uni-K**  
FENESTRATION



# KA TILT AND TURN

## LMI Design

- Design load: 70 PSF
- Max Dimensions:  
40" Width x 108" Height

## SMI Design

- Design load 110 PSF
- Max Dimensions:  
40" Width x 90" Height

## LMI / SMI

- Design load 100.25 PSF
- Max Dimensions:  
59" Width x 99" Height

- 
- Air infiltration: 6.27 PSF
  - Water infiltration: 16.5 PSF
- 


## Glass Options:

- Laminated
- Insulated
- Insulated laminated

Our glass is certified by SGCC and IGCC, ensuring that our processes always deliver the highest quality



## Thermal Performance Simulation



Type: Single Sash

Width: 38"

Height: 130"


Glass: ¼" Solarban 70 Clear + ½" Air Spacer + ¼" Clear

## • U Factor:


**1.84 W/m<sup>2</sup>K**

**0.325 BTU / (h\*ft<sup>2</sup>\*°F)**

Vertical / Horizontal Section



Full Frame




Hidden frame  
Horizontal Section


TYPES




Single Sash




Horizontal Section




Double Sash




Horizontal Section




Single Sash + Fixed



Horizontal Section



Single Sash+ Fixed



Horizontal Section

## COLORS


DC13 Matte White



DC04 Grey



DC12 Black




MA04




MA08



DC02 Silver




DC05 Dark Grey



DC11 Bronze



MA07



MA09



MA10



**Uni-K**  
FENESTRATION

+305 420 6910

info@unik-windows.com

  @unik.windows

Download this brochure  
with this QR



or visit our website  
[www.unik-windows.com](http://www.unik-windows.com)