



# HORIZONTAL ROLLER

Our window was created with ultra-slim profiles to deliver a luxurious and minimalist aesthetic. It is the perfect choice for contemporary architecture, elegantly framing the landscape and allowing light to define every space exceptionally.

## Specifications

- Sliding glass window
- 2 and 3 panel design

## CERTIFICATIONS

<https://n9.cl/h7rn5>



FBC  
CERTIFICATE



HURRICANE AND  
IMPACT RESISTANT  
WINDOWS & DOORS

LMI FL# - FL47984.1  
SMI FL# - FL47984.2

**Uni-K**  
FENESTRATION



## HORIZONTAL ROLLER

### LMI Design

- Design load: 75 PSF
- Water Infiltration: 9.75 PSF
- Max Panel Dimensions:
  - 2 panel 74" Width x 74" Height
  - 3 panel 111" Width x 74" Height

### SMI Design

- Design load 110 PSF
- Water Infiltration: 13.5 PSF
- Max Panel Dimensions:
  - 2 panel 74" Width x 63" Height
  - 3 panel 111" Width x 63" Height


- 
- Air infiltration: 6.27 PSF
  - Water infiltration Standard: 9.75 PSF
  - Water infiltration with Sill Riser: 13.5 PSF
- 

### Glass Options:

- Laminated


Our glass is certified by SGCC and IGCC, ensuring that our processes always deliver the highest quality

Vertical Section  
Sill Cover




OUTSIDE

Vertical Section  
Sill Riser




OUTSIDE


Horizontal Section




OUTSIDE



Horizontal Section



OUTSIDE



## COLORS


DC13 Matte White



DC04 Grey



DC12 Black




MA04




MA08



DC02 Silver




DC05 Dark Grey



DC11 Bronze



MA07



MA09



MA10



**Uni-K**  
FENESTRATION

+305 420 6910

info@unik-windows.com

  @unik.windows

Download this brochure  
with this QR



or visit our website  
www.unik-windows.com