



DREAM CASEMENT / AWNING

A masterpiece of design, uses an operator for its double function: awning and casement out. Its sleek profile offers a seamless operation that maximizes ventilation and view, distinguishing every project with innovation and style.

Specifications

- Awning / Casement out
- Multi point lock system
- Screen incorporated optional



HURRICANE AND
IMPACT RESISTANT
WINDOWS & DOORS

Uni-K
FENESTRATION



DREAM CASEMENT / AWNING

LMI Design

- Design load: 85 PSF
- Max Panel Dimensions : 40" Width x 76" Height

SMI Design

- Design load 120 PSF
- Max Panel Dimensions: 40" Width x 76" Height

Non-Impact

- Design load 100.25 PSF
- Max Panel Dimensions: 40" Width x 76" Height

- Air infiltration: 6.27 PSF
- Water infiltration: 18 PSF

Glass Options:


- Laminated
- Insulated
- Insulated laminated

Our glass is certified by SGCC and IGCC, ensuring that our processes always deliver the highest quality




TYPES

Projected window





Casement window




Vertical Section

Horizontal Section




COLORS


DC11 Matte White




DC02 Silver




DC04 Grey




DC05 Dark Grey



DC12 Black




DC13 Bronze



MA04



MA07



MA08



MA09



MA10



Uni-K
FENESTRATION

+305 420 6910

info@unik-windows.com

  [@unik.windows](https://www.unik.windows)

Download this brochure
with this QR



or visit our website
www.unik-windows.com